

Sökdokumentation

Projekt: Covid-19 och konsekvenser för folkhälsan på kort och lång sikt

Delfrågeställning:

Typ av översikt: Systematisk begränsad litteraturoversikt (rapid review)

Databas: PubMed Databasleverantör: NLM		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
Exponering: Covid-19			
1	Supplementary Concept, Mesh, titel, abstract	"COVID-19"[Supplementary Concept] OR "severe acute respiratory syndrome coronavirus 2"[Supplementary Concept] OR ("Coronavirus"[MeSH Terms] OR "Coronavirus Infections"[Mesh:NoExp] OR pneumonia virus*[tiab] OR cov[tiab]) AND (outbreak[tiab] OR wuhan[tiab] OR novel[all] OR 19[tiab] OR 2019[tiab] OR epidem*[tiab] OR epidemy[all] OR epidemic*[all] OR pandem*[all] OR new[tiab])) OR coronavirus*[tiab] OR corona virus*[tiab] OR ncov[tiab] OR 2019ncov[tiab] OR covid19[tiab] OR "covid 19"[tiab] OR "sars cov 2"[tiab] OR sars2[tiab] OR "ncov 2019"[tiab] OR "sars coronavirus 2"[tiab] OR "severe acute respiratory syndrome cov 2"[tiab] OR severe acute respiratory syndrome cov*[tiab] OR cov2[tiab]	31764
Utfall: Psykisk hälsa			
2	MeSH, title, abstract	"Mental Health"[Mesh] OR "Depression"[Mesh] OR "Emotions"[Mesh] OR "Stress Disorders, Traumatic"[Mesh] OR "Stress, Psychological"[Mesh] OR "Quality of Life"[Mesh] OR "Personal Satisfaction"[Mesh] OR "Social Support"[Mesh] OR "Mental Disorders"[Mesh:NoExp] OR "Sleep Deprivation"[Mesh] OR "Suicide"[Mesh] OR mental health[tiab] OR mentally healthy[tiab] OR mental ill health[tiab] OR mental disease[tiab] OR mental diseases[tiab] OR mental problem[tiab] OR mental problems[tiab] OR mental symptom[tiab] OR mental symptoms[tiab] OR mental illness[tiab] OR mental illnesses[tiab] OR mental instability[tiab] OR mental disorder[tiab] OR mental disorders[tiab] OR mental condition[tiab] OR mental conditions[tiab] OR psychological[tiab] OR psychosocial[tiab] OR psychopathology[tiab] OR psychopathological[tiab] OR psychosomatic[tiab] OR psychosomata[tiab] OR psychophysiological[tiab] OR psychophysiological[tiab] OR psychiatric[tiab] OR psychiatric[tiab] OR emotion[tiab] OR emotions[tiab] OR emotional[tiab] OR emotionally[tiab] OR feeling[tiab] OR feelings[tiab] OR well-being[tiab] OR wellbeing[tiab] OR satisfaction[tiab] OR eudaimonic[tiab] OR eudaemonic[tiab] OR hedonic[tiab] OR quality of life[tiab] OR life quality[tiab] OR happiness[tiab] OR happy[tiab] OR hope[tiab] OR hopeful[tiab] OR coping[tiab] OR social support[tiab] OR social connection[tiab] OR social cohesion[tiab] OR loneliness[tiab] OR lonely[tiab] OR belonging[tiab] OR connectedness[tiab] OR social withdrawal[tiab] OR locus of control[tiab] OR self-esteem[tiab] OR self-compassion[tiab] OR resilience[tiab] OR resilient[tiab] OR self-concept[tiab] OR fear[tiab] OR fears[tiab] OR afraid[tiab] OR terrified[tiab] OR frightened[tiab] OR	3828109

Databas: PubMed Databasleverantör: NLM		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
		suffer[tiab] OR suffering[tiab] OR panic[tiab] OR sad[tiab] OR sadness[tiab] OR unhappy[tiab] OR unhappiness[tiab] OR hopeless[tiab] OR hopelessness[tiab] OR worry[tiab] OR worries[tiab] OR stress[tiab] OR distress[tiab] OR anxiety[tiab] OR anxious[tiab] OR anxieties[tiab] OR overanxious[tiab] OR depression[tiab] OR depressed[tiab] OR depressive[tiab] OR despair[tiab] OR PTS[tiab] OR PTSD[tiab] OR PTSS[tiab] OR sleep[tiab] OR insomnia[tiab] OR sleepless[tiab] OR sleeplessness[tiab] OR parasomnia[tiab] OR tiredness[tiab] OR tired[tiab] OR exhaustion[tiab] OR exhausted[tiab] OR fatigue[tiab] OR burnout[tiab] OR burn-out[tiab] OR tension[tiab] OR trauma[tiab] OR traumatic[tiab] OR traumatical[tiab] OR suicide[tiab] OR suicides[tiab] OR suicidal[tiab] OR suicidality[tiab] OR psychosis[tiab] OR bereave[tiab] OR bereaved[tiab] OR bereavement[tiab] OR mourn[tiab] OR mourns[tiab] OR mourning[tiab] OR empathy[tiab] OR empathic[tiab] OR grief[tiab] OR grieving[tiab] OR anger[tiab] OR angry[tiab] OR concern[tiab] OR concerned[tiab] OR mood[tiab] OR dysthymic[tiab] OR dysthymia[tiab] OR nervous[tiab] OR nervousness[tiab] OR internalising[tiab] OR internalizing[tiab] OR externalising[tiab] OR externalizing[tiab] OR affective disorder[tiab] OR affective disorders[tiab] OR affective symptom[tiab] OR affective symptoms[tiab] OR bipolar disorder[tiab] OR unipolar disorder[tiab] OR avoidant disorder[tiab] OR somatoform[tiab] OR somatisation[tiab] OR somatization[tiab]	
Studiedesign: Enkätstudier/frågeformulär			
3	MeSH, title, abstract	"Health Surveys"[Mesh] OR "Psychiatric Status Rating Scales"[Mesh] OR "Cross-Sectional Studies"[Mesh] OR "Longitudinal Studies"[Mesh] OR survey[tiab] OR surveys[tiab] OR questionnaire[tiab] OR questionnaires[tiab] OR scale[tiab] OR autoquestionnaire[tiab] OR respondent[tiab] OR respondents[tiab]	2311556
Sammansatt sökning			
4		#1 AND #2 AND #3	465
5		#4. Filters applied: published in the last 1 year	361*

*Träffar exporterade till EndNote

Förklaring sökfält:

MeSH/MeSH Terms = Medical Subject Headings. Kontrollerade ämnesord.

Supplementary concept = Sökfält för bl.a. sjukdoms- och organismtermer.

Databas: Web of Science (Core Collection) Databasleverantör: Clarivate Analytics		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
Exponering: Covid-19			

Databas: Web of Science (Core Collection) Databasleverantör: Clarivate Analytics		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
1	Topic	TS=(coronavirus OR "Wuhan seafood market pneumonia virus" OR COVID19 OR COVID-19 OR COVID-2019 OR SARS-CoV-2 OR SARS2 OR 2019-nCoV OR SARS-CoV-2019 OR SARS-CoV-19)	20705
Utfall: Psykisk hälsa			
2	Topic	TS=("mental health" OR "mentally healthy" OR "mental ill health" OR "mental disease" OR "mental diseases" OR "mental problem" OR "mental problems" OR "mental symptom" OR "mental symptoms" OR "mental illness" OR "mental illnesses" OR "mental instability" OR "mental disorder" OR "mental disorders" OR "mental condition" OR "mental conditions" OR psychological OR psychosocial OR psychopatholog* OR psychosomatic* OR psychophysiologic* OR psychiatric* OR emotion* OR feeling OR well-being OR wellbeing OR satisfaction OR eudaimonic OR eudaemonic OR hedonic OR "quality of life" OR "life quality" OR happiness OR happy OR hope OR hopeful OR coping OR "social support" OR "social connection" OR "social cohesion" OR loneliness OR lonely OR belonging OR connectedness OR "social withdrawal" OR "locus of control" OR self-esteem OR self-compassion OR resilience OR resilient OR self-concept OR fear OR afraid OR terrified OR suffer OR suffering OR panic OR sad OR sadness OR unhappy OR unhappiness OR hopeless OR hopelessness OR worry OR worries OR stress OR distress OR anxiety OR anxious OR anxieties OR overanxious OR depress* OR despair OR PTS OR PTSD OR PTSS OR sleep OR insomnia OR sleepless OR sleeplessness OR parasomnia OR tiredness OR tired OR exhaust* OR fatigue OR burnout OR burn-out OR tension OR trauma* OR suicid* OR psychosis OR bereave* OR mourn* OR empath* OR grief OR grieving OR anger OR angry OR concern OR mood OR dysthym* OR nervous OR nervousness OR internalizing OR externalizing OR "affective disorder" OR "affective disorders" OR "affective symptom" OR "affective symptoms" OR "bipolar disorder" OR "unipolar disorder" "avoidant disorder" OR "avoidant disorders" OR somatoform OR somatization)	7284105
Studietyp: Enkätstudier/frågeformulär			
3	Topic	TS=(survey OR questionnaire OR scale OR autoquestionnaire OR respondent)	3811927
Sammansatt sökning			
4		#1 AND #2 AND #3	258
5		#4. Refined by publication year: 2020	132*

*Träffar exporterade till EndNote

Förklaring sökfält:

TS = Topic. Söker i titel, abstract, keywords (författarnyckelord) och Keywords Plus (indexeringsord som databasen genererar automatiskt från referensers titlar).

Databas: PsycINFO Databasleverantör: ProQuest		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
Exponering: Covid-19			
1	noft	noft(coronavirus OR "pneumonia virus" OR covid19 OR covid-19 OR covid-2019 OR sars-cov-2 OR sars2 OR 2019-ncov OR sars-cov-2019 OR sars-cov-19 OR ncov OR 2019ncov OR "sars cov 2" OR "severe acute respiratory syndrome")	587
Studiedesign: Enkätstudier/frågeformulär			
2	noft	noft(survey OR questionnaire OR scale OR autoquestionnaire OR respondent)	1175297
Sammansatt sökning			
3		#1 AND #2	175
4		#3. Applied filters: published from 2020-01-01	30*

*Träffar exporterade till EndNote

Förklaring sökfält:

noft = no full text. Söker i alla tillgängliga bibliografiska sökfält men söker inte i fulltext.

Databas: Coronavirus Research Database Databasleverantör: ProQuest		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
Utfall: Psykisk hälsa			
1	noft	noft("mental health" OR "mentally healthy" OR "mental ill health" OR "mental disease*" OR "mental problem*" OR "mental symptom*" OR "mental illness*" OR "mental instability" OR "mental disorder*" OR "mental condition*" OR psychological OR psychosocial OR psychopatholog* OR psychosomatic* OR psychophysiologic* OR psychiatric* OR emotion* OR feeling OR well-being OR wellbeing OR satisfaction OR eudaimonic OR eudaemonic OR hedonic OR "quality of life" OR "life quality" OR happiness OR happy OR hope OR hopeful OR coping OR "social support" OR "social connection" OR "social cohesion" OR loneliness OR lonely OR belonging OR connectedness OR "social withdrawal" OR "locus of control" OR self-esteem OR self-compassion OR resilience OR resilient OR self-concept OR fear OR afraid OR terrified OR frightened OR suffer OR suffering OR panic OR sad OR sadness OR unhappy OR unhappiness OR hopeless OR hopelessness OR worry OR worries OR stress OR distress OR anxiety OR anxious OR anxieties OR overanxious OR depress* OR despair OR PTS OR PTSD OR PTSS OR sleep OR insomnia OR sleepless OR sleeplessness OR parasomnia OR tiredness OR tired OR exhaust* OR fatigue OR burnout OR burn-out OR tension OR trauma* OR suicid* OR psychosis OR bereave* OR mourn* OR empath* OR grief OR grieving OR anger OR angry OR concern OR mood OR dysthym* OR nervous OR nervousness OR internalizing OR	3881

Databas: Coronavirus Research Database Databasleverantör: ProQuest		Datum: 2020-06-03	
Sökning #	Sökfält	Söksträng	Antal träffar
		externali?ing OR "affective disorder*" OR "affective symptom*" OR "bipolar disorder" OR "unipolar disorder" "avoidant disorder*" OR somatoform OR somati?ation)	
Studiedesign: Enkätstudier/frågeformulär			
2	noft	noft(survey OR questionnaire OR scale OR autoquestionnaire OR respondent)	1726
Sammansatt sökning			
3		#1 AND #2	508
4		#3. Applied filters: published from 2020-01-01	231*

*Träffar exporterade till EndNote

Förklaring sökfält:

noft = no full text. Söker i alla tillgängliga bibliografiska sökfält men söker inte i fulltext.